



ELECTRIC BLOWER 400W ETEB01-400

Rated Voltage: 220-240V
 Frequency: 50-60Hz
 Rated Power: 400W
 No-load Speed: 13000RPM
 Wind Volume: 2.3m³/min
 Carton Box(cm): 56.5x45x37.5
 QTY/CTN: 12PCS
 G.W./N.W.: 14/12kg



ELECTRIC BLOWER 400W ETEB02-400

Rated Voltage: 220-240V
 Frequency: 50-60Hz
 Rated Power: 400W
 No-load Speed: 13000RPM
 Wind Volume: 2.3m³/min
 Carton Box(cm): 52.5x39.5x41
 QTY/CTN: 8PCS
 G.W./N.W.: 11/10kg



ELECTRIC BLOWER 400W ETEB03-400

Rated Voltage: 220-240V
 Frequency: 50-60Hz
 Rated Power: 400W
 No-load Speed: 13000RPM
 Wind Volume: 2.3m³/min
 Carton Box(cm): 52.5x29x37.5
 QTY/CTN: 6PCS
 G.W./N.W.: 10/9kg



ELECTRIC BLOWER 500W ETEB04-400

Rated Voltage: 220-240V
 Frequency: 50-60Hz
 Rated Power: 400W
 No-load Speed: 13000RPM
 Wind Volume: 2.3m³/min
 Carton Box(cm): 56x51.5x40
 QTY/CTN: 12PCS
 G.W./N.W.: 16/13kg



ELECTRIC BLOWER 500W ETEB01-500

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 500W
No-load Speed: 13000RPM
Wind Volume: 2.5m³/min
Carton Box(cm): 54x51.5x38.5
QTY/CTN: 8PCS
G.W./N.W.: 15/13kg



ELECTRIC BLOWER 500W ETEB02-500VS

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 500W
No-load Speed: 0-13000RPM
Wind Volume: 2.5m³/min
Carton Box(cm): 54x51.5x40.5
QTY/CTY: 8PCS
G.W./N.W.: 16/15kg



ELECTRIC BLOWER 500W ETEB03-500

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 500W
No-load Speed: 0-13000RPM
Wind Volume: 2.5m³/min
Carton Box(cm): 55.5x32.5x40.5
QTY/CTN: 6PCS
G.W./N.W.: 12/11kg



ELECTRIC BLOWER 600W ETEB01-600

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 600W
No-load Speed: 0-13000RPM
Wind Volume: 2.8m³/min
Carton Box(cm): 59x31.5x38
QTY/CTN: 6PCS
G.W./N.W.: 12/11kg



ELECTRIC BLOWER 600W ETEB02-600

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 600W
No-load Speed: 0-13000RPM
Wind Volume: 2.8m³/min
Carton Box(cm): 63.5x37x37
QTY/CTN: 8PCS
G.W./N.W.: 15/13kg



ELECTRIC BLOWER 700W ETEB01-700

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 700W
No-load Speed: 0-15000RPM
Wind Volume: 3.0m³/min
Carton Box(cm): 60.5x33x39.5
QTY/CTN: 6PCS
G.W./N.W.: 17/15kg



ELECTRIC BLOWER 800W ETEB01-800

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 800W
No-load Speed: 16000RPM
Wind Volume: 3.0m³/min
Carton Box(cm): 78x39x44
QTY/CTN: 6PCS
G.W./N.W.: 16/15kg



ELECTRIC BLOWER 1000W ETEB01-1000

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 1000W
No-load Speed: 17000RPM
Wind Volume: 3.5m³/min
Carton Box(cm): 76.5x54x41
QTY/CTN: 8PCS
G.W./N.W.: 25/23kg



HEAT BLOWER 1200W **ETHB01-1200**

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 1200W
No-load Speed: 32000RPM
Wind Volume: 2.8m³/min
Carton Box(cm): 74.5x34.5x34
QTY/CTN: 6PCS
G.W./N.W.: 17/15kg



ELECTRIC BLOWER DC12V **ETEB01-12VDC**

Rated Voltage: DC 12V
Frequency: 50-60Hz
Rated Power: 400W
No-load Speed: 13000RPM
Wind Volume: 2.3m³/min
Carton Box(cm): 56.5x45.5x37.5
QTY/CTN: 12PCS
G.W./N.W.: 14/12kg



CORDLESS BLOWER 21V **ETCB01-21V**

Rated Voltage: 21V
Frequency: 50-60Hz
Battery Capacity: 1300mAh
No-load Speed: 13000RPM
Wind Volume: 2.5m³/min
Carton Box(cm): 87x34x39.5
QTY/CTN: 10PCS
G.W./N.W.: 16/15kg



BRUSH MOTOR BLOWER 21V **ETCB02-21**

Rated Voltage: 21V
Frequency: 50-60Hz
Battery Capacity: 1300mAh
No-load Speed: 0-18000RPM
Wind Volume: 3.0m³/min
Carton Box(cm): 50x35x39
QTY/CTN: 6PCS
G.W./N.W.: 11/10kg



BRUSH MOTOR BLOWER 21V ETBB02-21

Rated Voltage: 220-240V
Speed Control: Single Level
Battery Capacity: 4.0Ah
No-load Speed: 22000RPM
Wind Volume: 14m³/min



BRUSH MOTOR BLOWER 21V ETBB01-21

Rated Voltage: 21V
Speed Control: 6 Levels
Battery Capacity: 4.0Ah
No-load Speed: 10000-13000RPM
Wind Volume: 13m³/min



BRUSH MOTOR BLOWER 40V ETBB03-40

Rated Voltage: 40V
Speed Control: 6 Levels
Battery Capacity: 4.0Ah
No-load Speed: 15000-23000RPM
Wind Volume: 20m³/min



ROTARY HAMMER 500W ETRH2-20

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Power:	500W
No-load Speed:	0-1000RPM
Impact Times:	0-3900bpm
Impact Energy:	1.7J
Max Hole Opening:	Concrete:20mm Steel:13mm Wood:30mm
Optimum Drilling Rage:	4-12mm



ROTARY HAMMER 780 W ETRH3-24

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Power:	780W
No-load Speed:	0-1100RPM
Impact Times:	0-4500bpm
Impact Energy:	2.8J
Max Hole Opening:	Concrete:24mm Steel:13mm Wood:30mm
Optimum Drilling Rage:	6-16mm



ROTARY HAMMER 800W ETRH2-26

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Power:	800W
No-load Speed:	0-1100RPM
Impact Times:	0-4900bpm
Impact Energy:	3.0J
Max Hole Opening:	Concrete:26mm Steel:13mm Wood:30mm
Optimum Drilling Rage:	6-18mm



ROTARY HAMMER 800W ETRH3-26

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Power:	800W
No-load Speed:	0-1100RPM
Impact Times:	0-4900bpm
Impact Energy:	3.0J
Max Hole Opening:	Concrete:26mm Steel:13mm Wood:30mm
Optimum Drilling Rage:	6-18mm



ROTARY HAMMER 800W ETRH2-26DFR

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 800W
No-load Speed: 0-1100RPM
Impact Times: 0-4900bpm
Impact Energy: 3.0J
Max Hole Opening: Concrete:26mm
 Steel:13mm
 Wood:30mm
Optimum Drilling Rage: 6-18mm



ROTARY HAMMER 900W ETRH2-28

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 900W
No-load Speed: 0-1300RPM
Impact Times: 0-5100bpm
Impact Energy: 3.2J
Max Hole Opening: Concrete:28mm
 Steel:13mm
 Wood:30mm
Optimum Drilling Rage: 6-20mm



ROTARY HAMMER 800W ETRH4-26

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 800W
No-load Speed: 0-1100RPM
Impact Times: 0-4900bpm
Impact Energy: 3.0J
Max Hole Opening: Concrete:26mm
 Steel:13mm
 Wood:30mm
Optimum Drilling Rage: 6-18mm



ROTARY HAMMER 800W ETRH5-26

Rated Voltage: 220-240V
Frequency: 50-60Hz
Rated Power: 800W
No-load Speed: 0-1100RPM
Impact Times: 0-4900bpm
Impact Energy: 3.0J
Max Hole Opening: Concrete:26mm
 Steel:13mm
 Wood:30mm
Optimum Drilling Rage: 6-18mm



BRUSHLESS ROTARY HAMMER ETBRH01-26

Battery Voltage: 21V
 Drilling Capacity: 26mm
 No-load Speed: 1100rpm
 Impact Times: 3600bpm
 Optimum Drilling Range: 6-18mm



BRUSHLESS ROTARY HAMMER ETBRH02-26

Battery Voltage: 21V
 Drilling Capacity: 26mm
 No-load Speed: 1100rpm
 Impact Times: 3600bpm
 Optimum Drilling Range: 6-18mm



BRUSHLESS ROTARY HAMMER ETBRH03-26

Battery Voltage: 21V
 Drilling Capacity: 26mm
 No-load Speed: 1100rpm
 Impact Times: 3600bpm
 Optimum Drilling Range: 6-18mm



BRUSHLESS ROTARY HAMMER ETBRH04-26

Battery Voltage: 21V
 Drilling Capacity: 26mm
 No-load Speed: 1100rpm
 Impact Times: 3600bpm
 Optimum Drilling Range: 6-18mm



CORDLESS DRILL 12V

ETCD01-12

Battery Voltage: 12V
Chuck Diameter: 10mm
No-load Speed: 0-350 & 0-1350rpm
Torque Setting: 25+1
Maximum Torque: 24Nm



CORDLESS DRILL 18V

ETCD01-18

Battery Voltage: 18V
Chuck Diameter: 10mm
No-load Speed: 0-350 & 0-1350rpm
Torque Setting: 25+1
Maximum Torque: 24Nm



CORDLESS DRILL 12V

ETCD02-12

Battery Voltage: 12V
Chuck Diameter: 10mm
No-load Speed: 0-350 & 0-1350rpm
Torque Setting: 25+1
Maximum Torque: 24Nm



CORDLESS DRILL 21V

ETCD02-21

Battery Voltage: 21V
Chuck Diameter: 10mm
No-load Speed: 0-350 & 0-1350rpm
Torque Setting: 25+1
Maximum Torque: 24Nm



CORDLESS DRILL 21V ETCD01-21

Battery Voltage: 21V
Chuck Diameter: 10mm
No-load Speed: 0-350 & 0-1350rpm
Torque Setting: 25+1
Maximum Torque: 24Nm



BRUSHLESS DRILL 21V ETBD01-21

Battery Voltage: 21V
Chuck Diameter: 10mm
No-load Speed: 0-450 & 0-1800rpm
Torque Setting: 23+1
Maximum Torque: 45Nm



BRUSHLESS DRILL 18V ETBD02-18

Battery Voltage: 18V
Chuck Diameter: 10mm
No-load Speed: 0-450 & 0-1800rpm
Torque Setting: 21+1
Maximum Torque: 45Nm



BRUSHLESS DRILL 21V ETBD02-21

Battery Voltage: 21V
Chuck Diameter: 10mm
No-load Speed: 0-450 & 0-1800rpm
Torque Setting: 21+1
Maximum Torque: 45Nm



BRUSHLESS DRILL 18V ETBD03-18

Battery Voltage: 18V
Chuck Diameter: 10mm
No-load Speed: 0-450 & 0-1800rpm
Torque Setting: 21+1
Maximum Torque: 45Nm



BRUSHLESS DRILL 21V ETBD03-21

Battery Voltage: 21V
Chuck Diameter: 10mm
No-load Speed: 0-450 & 0-1800rpm
Torque Setting: 21+1
Maximum Torque: 45Nm



BRUSHLESS DRILL 18V ETBD05-18

Battery Voltage: 18V
Chuck Diameter: 10mm
No-load Speed: 0-450 & 0-1800rpm
Torque Setting: 21+1
Maximum Torque: 45Nm



BRUSHLESS DRILL 21V ETBD05-21

Battery Voltage: 21V
Chuck Diameter: 10mm
No-load Speed: 0-450 & 0-1800rpm
Torque Setting: 21+1
Maximum Torque: 45Nm



BRUSHLESS DRILL ETBD04-21

Battery Voltage: 21V
 Chuck Diameter: 10mm
 No-load Speed: 0-450 & 0-1800rpm
 Maximum Torque: 45Nm



BRUSHLESS IMPACT DRILL ETBID04-21

Battery Voltage: 21V
 Chuck Diameter: 10mm
 No-load Speed: 0-400 & 0-1400rpm
 Impact Times: 0-2100bpm
 Maximum Torque: 45Nm



BRUSHLESS IMPACT DRILL ETBID01-100

Battery Voltage: 21V
 Chuck Diameter: 13mm
 No-load Speed: 0-450 & 0-1800rpm
 Impact Times: 0-3500bpm
 Maximum Torque: 100Nm



BRUSHLESS IMPACT DRILL ETBID02-130

Battery Voltage: 21V
 Chuck Diameter: 13mm
 No-load Speed: 0-450 & 0-1800rpm
 Impact Times: 0-3500bpm
 Maximum Torque: 130Nm



BRUSHLESS IMPACT DRILL ETBID01-90

Battery Voltage: 21V
 Chuck Diameter: 13mm
 No-load Speed: 0-450 & 0-1800rpm
 Impact Times: 0-3500bpm
 Maximum Torque: 90Nm



BRUSHLESS IMPACT DRILL ETBID01-160

Battery Voltage: 21V
 Chuck Diameter: 13mm
 No-load Speed: 0-450 & 0-1800rpm
 Impact Times: 0-3500bpm
 Maximum Torque: 160Nm



BRUSHLESS IMPACT SCREWDRIVER ETBIS01-18

Battery Voltage: 18V
 Chuck Size: 6.35mm(1/4")
 No-load Speed: 0-3200rpm
 Impact Times: 0-3900bpm
 Maximum Torque: 120Nm



BRUSHLESS IMPACT SCREWDRIVER ETBIS01-21

Battery Voltage: 21V
 Chuck Size: 6.35mm(1/4")
 No-load Speed: 0-3200rpm
 Impact Times: 0-3900bpm
 Maximum Torque: 120Nm



BRUSHLESS IMPACT SCREWDRIVER ETBIS02-18

Battery Voltage: 18V
Chuck Size: 6.35mm(1/4")
No-load Speed: 0-450 & 0-1800rpm
Maximum Torque: 45Nm



BRUSHLESS IMPACT SCREWDRIVER ETBIS02-21

Battery Voltage: 21V
Chuck Size: 6.35mm(1/4")
No-load Speed: 0-450 & 0-1800rpm
Maximum Torque: 45Nm



BRUSHLESS IMPACT SCREWDRIVER ETBIS03-18

Battery Voltage: 18V
Chuck Size: 6.35mm(1/4")
No-load Speed: 0-450 & 0-1800rpm
Maximum Torque: 45Nm



BRUSHLESS IMPACT SCREWDRIVER ETBIS03-21

Battery Voltage: 21V
Chuck Size: 6.35mm(1/4")
No-load Speed: 0-3200rpm
Impact Times: 0-3900bpm
Maximum Torque: 80Nm



BRUSHLESS IMPACT WRENCH ETBIW01-280

Battery Voltage: 21V
 Output Square Shaft: 12.7mm(1/2")
 No-load Speed: 1100/1700/2300rpm
 Impact Times: 1200/1600/3200bpm
 Max.Tightening Torque: 280Nm
 Max.Breakaway Torque: 320Nm



BRUSHLESS IMPACT WRENCH ETBIW01-350

Battery Voltage: 21V
 Output Square Shaft: 12.7mm(1/2")
 No-load Speed: 1200/1900/2500rpm
 Impact Times: 1400/1800/3500bpm
 Max.Tightening Torque: 350Nm
 Max.Breakaway Torque: 450Nm



BRUSHLESS IMPACT WRENCH ETBIW01-500

Battery Voltage: 21V
 Output Square Shaft: 12.7mm(1/2")
 No-load Speed: 1300/2000/2500rpm
 Impact Times: 1600/2000/2800bpm
 Max.Tightening Torque: 500Nm
 Max.Breakaway Torque: 550Nm



BRUSHLESS IMPACT WRENCH ETBIW01-700

Battery Voltage: 21V
 Output Square Shaft: 12.7mm(1/2")
 No-load Speed: 1500/2200/2700rpm
 Impact Times: 2200/2600/2800bpm
 Max.Tightening Torque: 700Nm
 Max.Breakaway Torque: 850Nm



BRUSHLESS IMPACT WRENCH ETBIW02-700

Battery Voltage: 21V
Output Square Shaft: 12.7mm(1/2")
No-load Speed: 1300/2000/2500rpm
Impact Times: 1600/2000/2800bpm
Max.Tightening Torque: 700Nm
Max.Breakaway Torque: 750Nm



BRUSHLESS IMPACT WRENCH ETBIW01-850

Battery Voltage: 21V
Output Square Shaft: 12.7mm(1/2")
No-load Speed: 1200/1900/2200rpm
Impact Times: 1700/2400/2700bpm
Max.Tightening Torque: 850Nm
Max.Breakaway Torque: 950Nm



BRUSHLESS IMPACT WRENCH ETBIW01-980

Battery Voltage: 21V
Output Square Shaft: 12.7mm(1/2")
No-load Speed: 900/1200/1800rpm
Impact Times: 1800/2000/2200bpm
Max.Tightening Torque: 980Nm
Max.Breakaway Torque: 1100Nm



BRUSHLESS IMPACT WRENCH ETBIW01-1500

Battery Voltage: 21V
Output Square Shaft: 19mm(3/4")
No-load Speed: 950/1150/1400/1800rpm
Impact Times: 1800/2000/2200/2300bpm
Max.Tightening Torque: 1500Nm
Max.Breakaway Torque: 1800Nm



BRUSHLESS ANGLE GRINDER ETBAG01-125

Battery Voltage: 21V
Disc Diameter: 125mm
Main Shaft Thread: M14
No-load Speed: 9000rpm



BRUSHLESS ANGLE GRINDER ETBAG02-100

Battery Voltage: 21V
Disc Diameter: 100mm
Main Shaft Thread: M14
No-load Speed: 9000rpm



CORDLESS POLISHER 12V ETCPM01-12

Battery Voltage: 12V
Pad Diameter: 150mm
No-load Speed: 0-4500rpm



CORDLESS POLISHER 21V ETCPM01-21

Battery Voltage: 21V
Pad Diameter: 150mm
No-load Speed: 0-4500rpm



CORDLESS CHAINSAW ETCCS01-4

Battery Voltage: 21V
Bar Length: 130mm(4")
No-load Speed: 4000rpm
Cutting Speed: 4m/s
Power: 150-200W



BRUSHLESS CHAINSAW ETBCS01-8

Battery Voltage: 21V
Bar Length: 240mm(8")
No-load Speed: 4800rpm
Cutting Speed: 5m/s
Power: 200-250W



BRUSHLESS CHAINSAW ETBCS01-12

Battery Voltage: 21V
Bar Length: 350mm(12")
No-load Speed: 6000rpm
Cutting Speed: 5m/s
Power: 750-1100W



BRUSHLESS CHAINSAW ETBCS01-16

Battery Voltage: 21V
Bar Length: 450mm(16")
No-load Speed: 4800rpm
Cutting Speed: 5m/s
Power: 900-1300W



BRUSHLESS CHAINSAW ETBCS02-8

Battery Voltage: 21V
Bar Length: 240mm(8")
No-load Speed: 4000rpm
Cutting Speed: 7m/s
Power: 600W



BRUSHLESS CHAINSAW ETBCS03-16

Battery Voltage: 42V
Bar Length: 450mm(16")
No-load Speed: 3000rpm
Cutting Speed: 6.6m/s
Power: 1600W



BRUSHLESS CHAINSAW ETBCS02-16

Battery Voltage: 21V
Bar Length: 450mm(16")
No-load Speed: 4800rpm
Cutting Speed: 5m/s
Power: 900-1300W



CORDLESS HEDGE TRIMMER ETCHT01-21

Battery Voltage: 21V
Cutting Width: 110mm
Stroke Speed: 2500/min
No-load Speed: 15000rpm
Maximum Torque: 35Nm



CORDLESS HEDGE TRIMMER ETCHT04-21

Battery Voltage: 21V
Blade Length: 530mm
Stroke Speed: 2500/min
No-load Speed: 0-3000rpm
Max.Cutting Range: 18mm



CORDLESS HEDGE TRIMMER ETCHT03-21

Battery Voltage: 21V
Cutting Width: 110mm
Stroke Speed: 2500/min
No-load Speed: 15000rpm
Maximum Torque: 35Nm



CORDLESS HEDGE TRIMMER ETCHT02-21

Battery Voltage: 21V
Cutting Width: 110mm
Stroke Speed: 2500/min
No-load Speed: 15000rpm
Maximum Torque: 35Nm



CORDLESS GRASS TRIMMER ETCGT02-21

Battery Voltage: 21V
Disc Diameter: 200-230mm
No-load Speed: 0-4600rpm
Blade types: Plastic/Metal/Saw
Net weight: 2.50kg



CORDLESS GRASS TRIMMER ETCGT03-21

Battery Voltage: 21V
Disc Diameter: 200-230mm
No-load Speed: 5000rpm
Blade types: Plastic/Metal/Saw
Net weight: 2.50kg



CORDLESS GRASS TRIMMER ETCGT01-21

Battery Voltage: 21V
Disc Diameter: 150mm(6")
No-load Speed: 0-10000rpm
Blade types: Plastic/Metal/Saw
Net weight: 2.50kg



CORDLESS PRUNING SHEARS ETCPS01-25

Battery Voltage: 21V
Cutting Range: 1-25mm
Power: 300W



CORDLESS PRUNING SHEARS ETCPS02-25

Battery Voltage: 21V
Cutting Range: 1-25mm
Power: 300W



CORDLESS PRUNING SHEARS ETCPS03-25

Battery Voltage: 21V
Cutting Range: 1-25mm
Power: 300W



CORDLESS PRUNING SHEARS ETCPS04-28

Battery Voltage: 21V
Cutting Range: 1-28mm
Power: 320W



CORDLESS RECIPROCATING SAW ETCRS01-21

Battery Voltage: 21V
Cutting Capacity: 115mm
No-load Speed: 0-2800rpm
Reciprocating Stroke: 25mm
Cutting Range: Metal 10mm
 Wood 35-50mm
 Pipe Dia.35-50mm



CORDLESS RECIPROCATING SAW ETCRS02-21

Battery Voltage: 21V
Cutting Capacity: 115mm
No-load Speed: 0-2800rpm
Reciprocating Stroke: 25mm
Cutting Range: Metal 10mm
 Wood 35-50mm
 Pipe Dia.35-50mm



CORDLESS RECIPROCATING SAW ETCRS03-21

Battery Voltage: 21V
Cutting Capacity: 115mm
No-load Speed: 1500-2000rpm
Reciprocating Stroke: 25mm
Cutting Range: Metal 10mm
 Wood 35-50mm
 Pipe Dia.35-50mm



CORDLESS JIG SAW ETCJS01-21

Battery Voltage: 21V
Blade Diameter: 125mm
No-load Speed: 6500rpm
Max. Cutting Degree: 45°
Max. Cutting Range: 45mm



CORDLESS SPRAY GUN ETCSG01-21

Battery Voltage:	21V
Nozzle Diameter:	1.0/1.5/1.8/2.5mm
No-load Speed:	3000rpm
Container Volume:	1000ml
Air Flow:	160L
Paint Flow:	100-200ml/min
Spraying Distance:	200-250mm



CORDLESS SPRAY GUN ETCSG02-21

Battery Voltage:	21V
Nozzle Diameter:	1.0/1.5/1.8/2.5mm
No-load Speed:	3000rpm
Container Volume:	1000ml
Air Flow:	160L
Paint Flow:	100-200ml/min
Spraying Distance:	200-250mm



CORDLESS SCISSOR ETCDS01-21

Battery Voltage:	21V
Charging Voltage:	220-240V
Max.Shear Thickness:	0.8/2.0mm
No-load Speed:	0-1600rpm
Max.Torque:	150-180Nm



CORDLESS RIVET GUN ETCRG01-21

Battery Voltage:	21V
Riveting Size:	2.4-5.0mm
Adaptable Guide Nozzle:	3.2/4.0/4.8
Max. Stroke:	20mm



BRUSHLESS CIRCULAR SAW ETBCS01-125

Battery Voltage: 21V
Blade Diameter: 125mm
No-load Speed: 6500rpm
Max. Cutting Degree: 45°
Max. Cutting Range: 45mm



BRUSHLESS MIXER ETBM01-21

Battery Voltage: 21V
Mixing Paddle Dia.: 120mm
No-load Speed: 0-900rpm
Tool Connection: M14
Shaft Length: 60cm



CORDLESS INVERTER ETCI01-300

Battery Voltage: 21V
Charging Voltage: 220-240V
DC Output: 12V/5A(Max.10A)
USB Output: 2 X USB-A:5V/2.1A
 1 X Type-C:PD3.0,5-12V/18W
AC Output: 300W,220-240V,50-60Hz
LED Light: 2 Level (10W/6W)
Working Temperature: -10°C-+40°C



BRUSHLESS ANGLE WRENCH ETBAW01-320

Battery Voltage: 21V
Output Square Shaft: 12.7mm(1/2")
No-load Speed: 1600/2600rpm
Impact Times: 3000/3500bpm
Max.Tightening Torque: 320Nm
Max.Breakaway Torque: 400Nm
Standard Bolt: M8-M20
High-strength Bolt: M8-M16
Optimum Socket Size Range: 14-24MM



CORDLESS HEAT GUN

ETCHG01-21

Battery Voltage:	21V
Air Flow:	100-200L/min
Temperature:	350-550°C
Rated Power:	300W



BACKPACK BATTERY

ETBPB01-21

Battery Voltage:	21V~36V
Battery Capacity:	1300/1500/2000mAh
Battery Cells:	25/30/35/40pcs



HD BRUSHLESS IMPACT WRENCH

ETBIW01-3000

Battery Voltage:	21V
Output Square Shaft:	25.4mm(1")
No-load Speed:	1250/1450/1850/2100rpm
Impact Times:	4000/4200/4600bpm
Max.Tightening Torque:	3000Nm
Max.Breakaway Torque:	3500Nm
Standard Bolt:	M14-M42
High-strength Bolt:	M14-M30
Optimum Socket Size Range:	19-56MM



CORDLESS DRILL 12V **ETCD01-1224**

Battery Voltage: 12V
Chuck Diameter: 10mm
No-load Speed: 0-350 & 0-1350rpm
Torque Setting: 25+1
Maximum Torque: 24Nm



CORDLESS DRILL 18V **ETCD01-1824**

Battery Voltage: 18V
Chuck Diameter: 10mm
No-load Speed: 0-350 & 0-1350rpm
Torque Setting: 25+1
Maximum Torque: 24Nm



CORDLESS DRILL 21V **ETCD02-2124**

Battery Voltage: 21V
Chuck Diameter: 10mm
No-load Speed: 0-350 & 0-1350rpm
Torque Setting: 25+1
Maximum Torque: 24Nm



BRUSHLESS DRILL 21V **ETBD01-2124**

Battery Voltage: 21V
Chuck Diameter: 10mm
No-load Speed: 0-450 & 0-1800rpm
Torque Setting: 23+1
Maximum Torque: 45Nm



TOOL KITS 24PCS

TK 001



TOOL KITS 36PCS

TK 002



TOOL KITS 32PCS

TK 003



TOOL KITS 24PCS

TK 005



TOOL KITS 31PCS

TK 004



TOOL KITS 25PCS

TK 006